

60K-3P-480V-N Spec Sheet



Solar In	ar Input Power 78,000W	
Max Allowed PV Power	78,000W	
Max PV Power Delivered to Battery & AC Outputs	60,000W	
Max DC Voltage (Voc)	1,000V @ 36A	
MPPT Voltage Range	200-850V	
Starting Voltage	180V	
Number of MPPT	4	
Max Solar Strings Per MPPT	2	
Max DC Current per MPPT (Self Limiting)	36A	
Max AC Coupled Input (Micro/String Inverters)	277V x 150A x 3 = 125KVA with no PVdc	

AC Output Power 60kW On-Grid & Off-Grid		
Connections	277V / 480V Three Phase	
Continuous AC Power with PV	60,000W 72.2A (480V)	
Continuous AC Power from Batteries	60,000W 72.2A (480V) TBD	
Surge AC Power 7 sec	120,000VA 144.4A x 277V x 3	
Parallel Stacking	Yes - Up to 12	
Frequency	60/50Hz	
Continuous AC Power with Grid or Generator	102,000W 160A L-N (277V)	
CEC Efficiency	96.5% (Peak 97.5%)	
Idle Consumption Typical—No Load	TBD	
Sell Back Power Modes	Limited to Household/Fully Grid-Tied	
Design (DC to AC)	Transformerless DC	
Response Time (Grid-Tied to Off-Grid)	5ms	
Power Factor	+/- 0.8 - 1.0	

Battery (optional) Output Power 60,000W		
Type Number of Inputs	Li-lon 2 Inputs	
Nominal DC Input	>600V	
Capacity	50 — 9,900Ah	
Voltage Range	160V ~ 800V	
Continuous Battery Charging Output	100A (50A Per Input)	
Charging Curve	3-Stage w/ Equalization	
Grid to Batt Charging Efficiency	96.0%	
External Temperature Sensor	Included	
Current Shunt for Accurate % SOC	Integrated	
External Gen Start Based on Voltage or %SOC	Integrated	
Communication to Lithium Battery	CanBus & RS485	

General		
Dimensions (H x W x D)	35.2" x 20.8" x 11.6"	
Weight	172 lbs	
Enclosure	IP65 / NEMA 3R	
Ambient Temperature	-40~60°C, >45°C Derating	
Installation Style	Wall-Mounted	
Wi-Fi & LAN Communication	Included	
Standard Warranty (verified by HALT Testing)	10 years	

Protections & Certifications	
Electronics Certified Safety by SGS Labs to NEC & UL Specs - NEC 690.4B & NEC 705.4/6	pending
Grid Sell Back — UL1741-2010/2018, IEE- E1547a-2003/2014, FCC 15 Class B, UL1741SB, CA Rule 21, HECO Rule 14H	pending
PV DC Disconnect Switch — NEC 240.15	Integrated
Ground Fault Detection — NEC 690.5	Integrated
PV Rapid Shutdown Control — NEC 690.12	Integrated
PV Arc Fault Detection — NEC 690.11	Integrated
PV Input Lightning Protection	Integrated
PV String Input Reverse Polarity Protection	Integrated
AC Output Breakers - 200A	Integrated
Surge Protection	DC Type II / AC Type III