

Monitor & control, Schneider Energy Monitor, WiFi, ethernet & PoE, Zigbee, 2 pairs of CTs

SEMONITOR

Product availability: Stock - Normally stocked in distribution facility

Main

Product or Component Type	Energy meter	
Mobile App name	Schneider Home	
Type of measurement	Energy consumption total	
[Us] rated supply voltage	90132 V AC/DC	
Network Frequency	50/60 Hz	
maximum consumption	5 VA	
Accuracy class	Class 2 UL 61010-1	
Input type	Current transformer	

Complementary

Colour tint	white
Communication Service	Active energy per usage
Measurement category	Category IV conforming to UL 61010-1
Height	1.3 in (32 mm)
Width	2.4 in (60 mm)
Depth	7.09 in (180 mm)
Net Weight	1.810 lb(US) (0.821 kg)
Range compatibility	current transformer

Environment

IP degree of protection	IPx0	
Operating altitude	09842.52 ft (03000 m)	

Ordering and shipping details

Category	US1DE3A00105
Discount Schedule	DE3A
GTIN	3606487024484
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCF

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 1	1
Package 1 Height	1.26 in (3.2 cm)
Package 1 Width	2.60 in (6.6 cm)
Package 1 Length	7.13 in (18.1 cm)
Package 1 Weight	29.0 oz (821 g)



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Carbon footprint (kg CO2 eq, Total Life cycle)	37	

Use Better

No
No
Compliant
REACh Declaration
WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

○ Repack and remanufacture		
Take-back	No	