



Accessory, bolt-on hub, 0.75in, rainproof

B075

Product availability: Stock - Normally stocked in distribution facility

Main

Hub type	В	
Product or Component Type	Hub	

Complementary

Cable entry	Conduit entry 0.75 in (19.05 mm)
Depth	3.09 in (78.49 mm)
Height	1.24 in (31.50 mm)
Width	4.44 in (112.78 mm)

Environment

Product Certifications UL Listed

Ordering and shipping details

Category	US1DE1A00032
Discount Schedule	DE1A
GTIN	785901459415
Returnability	Yes
Country of origin	IN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.30 in (3.302 cm)
Package 1 Width	4.60 in (11.684 cm)
Package 1 Length	6.50 in (16.510 cm)
Package 1 Weight	4.800 oz (136.078 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	8.30 in (21.082 cm)
Package 2 Width	5.00 in (12.700 cm)
Package 2 Length	13.70 in (34.798 cm)
Package 2 Weight	3.459 lb(US) (1.569 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Unit Type of Package 3	PAL
Number of Units in Package 3	1200
Package 3 Height	34.00 in (86.360 cm)
Package 3 Width	42.00 in (106.680 cm)
Package 3 Length	42.00 in (106.680 cm)
Package 3 Weight	468.000 lb(US) (212.281 kg)

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Product data sheet

B075

Image of product / Alternate images

Alternative





