



Control Relay, Square D, QO, 20A (Max), 120V

QO200PWX120

Product availability: Stock - Normally stocked in distribution facility

Main

range of product	Schneider Energy Monitor	
Product or Component Type	Control relay	
Concentrator compatibility	Schneider energy monitor	
Mobile App name	Schneider Home	
[Us] rated supply voltage	120 V AC	

Complementary

load power	1920 VA	
Communication network type	Wireless Zigbee (2.4 GHz), 2.5 mW at < 50 m	
Display Type	LCD screen	
Height	4.2 in (106.7 mm)	
Width	7.5 in (190.5 mm)	
Depth	1.7 in (43.2 mm)	
Contacts type and composition	1 NC	
Range compatibility	QO Load Center	
Number of spaces	2	
maximum load current	20 A	
Tightening torque	11.86 lbf.in (1.34 N.m)	
AWG gauge	AWG 14AWG 8 copper AWG 12AWG 8 solid bare copper	

Environment

Standards CUL

Ordering and shipping details

Category	US1DE3A00105	
Discount Schedule	DE3A	
GTIN	785901903956	
Returnability	Yes	
Country of origin	CN	

Packing Units

Unit Type of Package 1 PCE

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Nbr. of units in pkg.	1	
Package 1 Height	1.90 in (4.826 cm)	
Package 1 Width	4.40 in (11.176 cm)	
Package 1 Length	7.60 in (19.304 cm)	
Package weight(Lbs)	10.400 oz (294.835 g)	
Unit Type of Package 2	CAR	
Number of Units in Package 2	24	
Package 2 Height	8.40 in (21.336 cm)	
Package 2 Width	13.50 in (34.290 cm)	
Package 2 Length	16.10 in (40.894 cm)	
Package 2 Weight	16.901 lb(US) (7.666 kg)	
Unit Type of Package 3	PAL	
Number of Units in Package 3	288	
Package 3 Height	21.00 in (53.340 cm)	
Package 3 Width	33.00 in (83.820 cm)	
Package 3 Length	40.50 in (102.870 cm)	
Package 3 Weight	238.999 lb(US) (108.408 kg)	



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Under investigation

Use Again

○ Repack and remanufacture		
Take-back	No	