



Control Relay, Square D, QO, 60A (Max), 240V

QO260PWX240

Product availability: Stock - Normally stocked in distribution facility

Main

range of product	Schneider Energy Monitor	
Product or Component Type	Control relay	
Concentrator compatibility	Schneider energy monitor	
Mobile App name	Schneider Home	

Complementary

Height	6.2 in (157.5 mm)
Width	7.5 in (190.5 mm)
Depth	3.2 in (81.3 mm)
Contacts type and composition	1 NC
system voltage	240 V AC
maximum load current	60 A
Tightening torque	11.86 lbf.in (1.34 N.m)

Environment

Standards CUL

Ordering and shipping details

Category	US1DE3A00105
Discount Schedule	DE3A
GTIN	3606486408506
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.13 in (7.94 cm)
Package 1 Width	6.25 in (15.88 cm)
Package 1 Length	7.25 in (18.41 cm)
Package weight(Lbs)	20 oz (567 g)
Unit Type of Package 2	BB1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 2	12
Package 2 Height	7.40 in (18.8 cm)
Package 2 Width	15.67 in (39.8 cm)
Package 2 Length	19.61 in (49.8 cm)
Package 2 Weight	15.4 lb(US) (7 kg)



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Carbon footprint (kg CO2 eq, Total Life cycle)	133	

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture		
Take-back	No	